

Some data
No data

ID	SQFT	Units	11-Mar	11-Feb	11-Jan	10-Dec	10-Nov	10-Oct	10-Sep	10-Aug	10-Jul	10-Jun	10-May	10-Apr	Btu Conversion	Total Btu	Energy Intensity (kBtu/SQFT) per year	Building Type
1	2500	kWh	45000											230310000	413604000	165.4416	Banks/Financial Institution	
		Gallons	2000											183294000				
9	3700	kWh	4930	5755	5544	5650	5522	4635	5061	5370	5211	4905	4211	5097	211172092	380535748	102.8474995	Banks/Financial Institution
		Gallons	1848											169363656				
13	36000	kWh	146720	134080	137920	142960	136400	152960	176800	163440	178960	144080	139920	142960	6132046400	7017264773	194.9240215	Grocery Store
		Gallons	2335		2369		1782		1398			1775		885218373				
17	2400	kWh	584	642	655	683	753	761	467	488	262	471	682	583	23989772	82139793.5	34.22491396	K-12 School
		Gallons	634.5											58150021.5				
24	38000	kWh	1570	16560	17520	17880	16440	18960	19920	17760	20280	12240	14500	1500	597543560	2438456849	64.16991708	K-12 School
		Gallons	20087											1840913289				
31	3000	kWh	519	475	450	476	479	460	669	741	876	582	511	648	23495032	23495032	7.831677333	Office Building
		Gallons	0											0				
32	6500	kWh	4716	4259	4123	4408	5497	4141	4884	5265	4712	5115	4137	4620	190652324	247210437.1	38.03237494	Office Building
		Gallons	218.5											56558113.11				
38	50000	kWh														0	0	Office Building
41	6000	kWh	38511											131399532	268870032	44.811672	Residence Hall/Dormitory	
		Gallons	1500											137470500				
44	55000	Btu	325000	425000	310000	180000	120000	80000	1216855.476						9065190886	9396425986	170.8441088	Residence Hall/Dormitory
		CCF	233	173	222	201	362	533	235	246	243	409	167	195	331235100			
57	13200	kWh														0	0	Restaurant
60	4792	kWh	11624	11204	11746	14430	13120	15656	18941	17306	18050	14254	13831	12500	589122744	589122744	122.938803	Retail Store
		Gallons	No fossil fuel used all electric											0				
65	7000	kWh														0	0	Retail Store
74	15300	kWh	10,102	10,471	9,979	11,103	10,739	11,395	10,988	10,988	19,614	13,993	11,671	11,073	484,899,792	844,889,208	55.22151686	Retail Store
		Gallons	3928											359989416				
83	22028	kWh	22320	19320	20520	20280	22080	23040	28680	26040	27600	23760	20640	15600	920,830,560	2316403582	105.1572354	Office Building
		Gallons	15227.7											1395573022				
84	17000	kWh	6559	7523	6721	6705	5143	4364	4872	4935	4892	2354	3740	4211	211608828	211608828	12.44757812	Warehouse
		Gallons	0											0				
92	2400	kWh	31951											109,016,812	205796044	85.74835167	Banks/Financial Institution	
		Gallons	1056											96779232				
96	24800	kWh	79440	94320	80400	86400	97200	91560	97080	94080	94680	86040	78360	85080	3,632,551,680	3896522534	157.1178441	Grocery Store
		Gallons	2880.3											263970854.1				
98	72000	kWh	58320	82960	88560	85120	72480	61920	64560	40160	57360	71280	59840	58480	2733148480	5324009170	73.94457181	Hotels and Motels
		Gallons	28270											2590860690				
100	41034	kWh	17600	19160	18480	21760	18040	19280	21000	22760	18480	21760	17600	19080	801820000	2138674789	52.11957862	K-12 School
		Gallons	14587											1336854789				
101	3000	kWh														0	0	Office Building
105	21198	kWh	40648	39096	37398	36459	35004	33472	32329	31494	30653	29967	28861	27939	1376127840	1376127840	64.91781489	Residence Hall/Dormitory
		Gallons	0											0				
106	29920	kWh	7801											714938247	714938247	23.89499489	Residence Hall/Dormitory	
		Gallons	0											0				
111	3192	kWh	20000	21200	20080	21600	23720	26120	28960	33400	34240	30400	24480	25480	886164640	2322823012	727.7014449	Restaurant
		Gallons	1159	2529	2692	2445	2140	1177	462	636	568	500	500	868	1436658372			
119	6040	kWh	270000											921240000	1879501032	311.1756675	Retail Store	
		Gallons	10456											958261032				
123	15584	kWh	65716											224222992	224222992	14.38802567	Retail Store	
		Gallons	0											0				
125	12000	kWh	8832	9131	7155	9917	8834	8775	9040	12097	13427	14387	10714	9309	414960616	680736916	56.72807633	Retail Store
		Gallons	375	533	560	912	293	70	0	0	0	0	13	144	265776300			
132	28000	kWh														0	0	Retail Store
137	9375	kWh	24192											82543104	170799165	18.2185776	Warehouse	
		Gallons	963											88256061				
138	6500	kWh														0	0	Warehouse
139	7200	kWh	25023											85378476	216891921	30.12387792	Warehouse	
		Gallons	1435											131513445				
145	5100	kWh														0	0	Warehouse
146	2932	kWh	31340											106932080	200870255	68.50963677	Banks/Financial Institution	
		Gallons	1025											93938175				
147	58445	kWh	684960											2337083520	4629908166	79.21820799	Hotels and Motels	
		Gallons	25018											2292824646				
148	10286	kWh	57816											197268192	497228823	48.34034834	Office Building	
		Gallons	3273											299960631				
152	1400	kWh	6666											22744392	22744392	16.24599429	Warehouse	
		Gallons	0											0				
158	2900	kWh	3761	3916	4821	4349	3626								0	0	Banks/Financial Institution	
		Gallons	136.9	165.6	217.8	182.5	144	117.2	403.9									

Some data
No data

ID	SQFT	Units	11-Mar	11-Feb	11-Jan	10-Dec	10-Nov	10-Oct	10-Sep	10-Aug	10-Jul	10-Jun	10-May	10-Apr	Btu Conversion	Total Btu	Energy Intensity (kBtu/SQFT) per year	Building Type	
167	3900	kWh	6618	6729	7753	7897	7265	6681	6462	7182	6796	5901	7527	7000	285963132	285963132	73.32388	Banks/Financial Institution	
		Gallons													0				
175	7000	kWh	7200	6900	6600	6600	6981	5814	8333	10076	9019	8189	7179	7422	308147956	308147956	44.02113657	Banks/Financial Institution	
		Gallons										810	342	273					
178	36129	kWh	125160	112560	102240	115560	131040	125040	133080	173520	150240	162480	130680	133200	5441457600	8400830877	232.5232051	Grocery Store	
		Gallons	3050	5728	4709	5426	3023	2804	2708	0	0	2479	0	2364	2959373277				
187	56000	kWh	1914	2236	1950	2100	1768	1748	1853	2036	2121	1500	1807	1452	76718820	2744562990	49.01005339	Hotels and Motels	
		Gallons	3820	5010	4950	3860	2700	1260	1160	1300	1150	950	810	2140	2667844170				
191	12600	kWh														0	0	K-12 School	
		Gallons																	
192	27000	kWh	10000	10720	9360	9760	12960	10560	11840	15280	14960	12880	10640	10560	476042240	1762857767	65.29102841	K-12 School	
		Gallons	2043	2348	269	4327	1180	2476						1398	1286815527				
198	25800	kWh	22102	19210	18177	18590	23134	21482	24787	17144	16111	10741	10534	10328	724504080	1986849858	77.00968442	Office Building	
		Gallons	2432	2084	2272	2084	2187	0	0	0	222	0	803	1690	1262345778				
210	4100	kWh	370	1156												0	0	Office Building	
		CCF	274	187															
212	259000	kWh	59800	59600	71200	63600	54000	57400	88400	81400	75400	67200	66600	57200	2735741600	9561335219	36.9163522	Office Building	
		Gallons	7634	9612	11852	7698	5842	5004	4508	3250	4500	4221	5126	5230	6825593619				
214	5400	kWh														0	0	Office Building	
		Gallons																	
235	20000	kWh	3700	3700	3700	3700	3700	3778	3234	4194	3631	3375	3227	3944	149728796	312104996	15.6052498	Office Building	
		CCF	229	335	429	212	126	27	5	1	2	7	70	135	162376200				
240	54000	kWh	53400	53250	51240	61560	58320	65760	75480	92880	89880	80040	73440	74760	2831994120	4715784420	87.32934111	Office Building	
		CCF	2573	3515	3286	2394	1366	699	370	335	405	463	1096	1805	1883790300				
255	17500	kWh														0	0	Residence Hall/Dormitory	
		Gallons																	
258	61000	kWh	42480	42840	35040	45840	42240	56400	39960	32640	33480	30600	46440	40680	1667239680	3440609130	56.40342836	Residence Hall/Dormitory	
		Gallons	2760	3230	3250	1870	1770	940	560	310	380	370	1480	2430	1773369450				
265	3497	kWh																	
		Therms													337120	1150253440	2451223995	700.9505276	Restaurant
			13001 (P105 covered Therms to Btu)												1300970555				
272	4000	kWh														0	0	Restaurant	
		Gallons																	
284	7000	kWh														0	0	Restaurant	
		Gallons																	
288	34400	kWh	71835	72999	82789	76749	72000	83070	102828	98069	113361	87929	80895	71021	3458215540	6647601040	193.2442163	Restaurant	
		CCF	3290	3786	3620	4390	2610	1989	1936	1609	1645	1794	1733	2593	3189385500				
297	2400	kWh	1339	491	1054	1074	922	921	1188	1006	898	917	1094	1035	40735868	40735868	16.97327833	Retail Store	
		Gallons																	
299	4748	kWh	12563	12760	12000	12000	12000	12000	12000	12000	12000	12000	12000	12000	495842076	940238379	198.0283022	Retail Store	
		Gallons	400	389	460	400	400	400	400	400	400	400	400	400	444396303				
310	10000	kWh														0	0	Retail Store	
		Gallons																	
312	11500	kWh														0	0	Retail Store	
		Gallons																	
313	13000	kWh	26640	32160	29280	22320	17520	22800	28800	28320	23760	18720	19440	17040	978561600	978561600	75.27396923	Retail Store	
		Gallons																	
326	16000	kWh	10760	10360	14160	15320	12520	13440	16000	16120	14080	11360	9160	11460	527972880	896972280	56.0607675	Retail Store	
		CCF							3586						368999400				
338	1312	kWh																	
		Gallons													10791	36818892	36818892	28.06317988	Warehouse
341	2200	kWh														0	0	Warehouse	
		Gallons																	
346	6400	kWh	1679	1979	2067	2095	1926	2177	2344	2810	2399	1851	2078	1877	86262184	270144484	42.21007563	Warehouse	
		CCF	275	381	505	175	108	23	2	0	5	26	76	211	183882300				
357	30000	kWh														0	0	Warehouse	
		Gallons																	
359	2900	kWh	5757	5151	5645	5034	4978	5435	5879	6554	5242	4888	5640	4888	222090492	222090492	76.58292828	Banks/Financial Institution	
		Gallons																	
362	44000	kWh	91920	82680	85320	67320	46200	41760	39840	44400	36480	33840	43920	51240	2268707040	2403912618	54.63437768	Hotels and Motels	
		Gallons	1233	1593	1117	763				1475.23511					135205578.1				
364	26800	kWh	3440	3666	3812	3320	3478	3780	7879	2578	5843	0	0	3444	140710880	965533880	36.02738358	K-12 School	
		Gallons							9000						824823000				
366	59549	kWh																	
		Gallons							357600						1220131200	2661371922	44.69213458	K-12 School	
									15726						1441240722				
368	2100	kWh														0	0	Office Building	
		Gallons																	
370	4200	kWh																	
		Gallons													21158	72191096	328802696	78.28635619	Office Building
															2800	256611600			
374	46900	kWh	13382	13382	12811	14688	13056	14198	12077	10282	12240	12300	12566	12566	45659384	846287576	18.04451122	Residence Hall/Dormitory	
		Gallons													8736	800628192			
376	14700	kWh														0	0	Retail Store	
		Gallons																	
380	11000	kWh	13000	13000	13000	13000	13000	13000	15000	0	0	0	8000	13000	388968000	388968000	35.36072727	Warehouse	
		Gallons													0				